

From: [Mitchell, Tanya](#)
To: [Walls \(Young\), Suzy](#)
Cc: [Gary M. Fisher \(gary.fisher@alcatel-lucent.com\)](#); ["Draikiwicz, Michael" \(michael.draikiwicz@novartis.com\)](#); ["\(pete.bergeron@chevron.com\)"](#)
Subject: RE: Monitoring Well Relocation FCR-05
Date: Thursday, April 02, 2015 10:31:21 AM

Suzy,
EPA has completed its review of the attached FCR-05 and FCR Table 1. The FCR-05 and its Table 1 are approved.
Regards,
Tanya

From: Walls (Young), Suzy [mailto:Suzy.Walls@arcadis-us.com]

Sent: Wednesday, April 01, 2015 10:00 AM

To: Mitchell, Tanya

Cc: Persico, John; Guthertz, Andrew; Ricci, Richard F.; Gary M. Fisher (gary.fisher@alcatel-lucent.com); 'Draikiwicz, Michael' (michael.draikiwicz@novartis.com); '(pete.bergeron@chevron.com)'

Subject: Monitoring Well Relocation FCR-05

Tanya,

Please see the attached field change request for the relocation of MW-15 and MW-19. The proposed locations for these wells are both in standing water. We are requesting that they be moved 40 feet and 17 feet, respectively, so that they are located on dry ground. Please let me know if you approve these changes.

Also, as of this morning, MW-17 and MW-11 have been installed. MW-16 will be installed today.

Provided you can approve the attached FCR today, we will begin installation of MW-15 tomorrow.

We are still discussing potential changes to the proposed locations of MW-13, MW-14, MW-18 and MW-20.

Thanks,

Suzy

Suzy Walls | Ecologist / Certified Project Manager | suzy.walls@arcadis-us.com

ARCADIS U.S., Inc. | 114 Lovell Road, Suite 202 | Knoxville, TN, 37934

T. 865.777.3502 | M. 919.455.5413 | F. 865.675.6712

www.arcadis-us.com